BEYOND SECURITY

KABA®

Short Backset Mortice Locks

SBM2 Series, SBM2 Kit Packs, SBM30 Series,
950 Series, 951 Series

Mechanics

Short Backset range

The Kaba Short Backset mortice locks are suitable for use on commercial and residential narrow style, timber and metal, hinged doors where self-latching is required. For the purpose of convenience the Short Backset mortice locks can be purchased separately or as part of a pack configuration.

INDEX

The Kaba Short Backset mortice lock range provides the flexibility required to be able to utilise the product across a wide range of applications. The commercial quality of the product makes it suitable for use in industrial, high traffic areas, while its ability to be matched with various plate and lever options makes it equally suited to domestic applications where aesthetics are important

Finishes

SBM SERIES
SCP   Satin Chrome Plate

950 SERIES
SCP   Satin Chrome Plate

Note

Case does not need to be opened at any time to change function or handing of this lock.

Handing of Door - British Standards

RIGHT - HAND DOOR		LEFT - HAND DOOR	
OUTSIDE	OUTSIDE	OUTSIDE	OUTSIDE
DOOR OPENING	DOOR OPENING	DOOR OPENING	DOOR OPENING
IN	OUT	IN	OUT

SBM Series

Short Backset Mortice Lock Furniture

Applications
For use on commercial and domestic narrow style timber and metal hinged doors, where self-latching is required.

Construction
Case and cover are constructed of zinc alloy powder coat finish.
Faceplate and strike plate are constructed of high quality 304 grade stainless steel.
Latchbolt and auxiliary latch are constructed of high grade sintered stainless steel.
Springs are of high grade spring steel.

Backset
23mm and 30mm backsets are available.

Handing and Functions
The SBM series lock is non-handed to suit left hand or right hand inswing or outswing doors and functions are easily changeable on site.
For convenience handed functions can be ordered from factory and are supplied with turn adaptors and cams (Refer to functions). Cylinders and furniture sold separately.

Door Thickness
32mm to 50mm as standard. Thicker door kits are available on application. Suits hollow aluminium extrusion with 39mm minimum internal depth.

Door Gap
To facilitate latch retraction and maintain lock security the gap between the faceplate and the strike plate should not be less than 2.5mm or greater than 4.0mm.

Strikes
Universal "T" shape strike plate as standard. For convenience the SBM series supplied with fabricator strike box to suit steel/aluminium frames as standard.

Cylinder
Standard oval shaped cylinder. Refer to cam options for functions.

Furniture
Suitable for use with the Kaba N100 and N600 series narrow style furniture.

Hold Back
The SBM series offers a latch hold back function via a keyed 130 cylinder with a hold back cam – CAMH, ordered separately with or without cylinder.

Electric Strikes
The Kaba SBM series with latch is compatible with most common electric strikes.

Security
KABA SBM Series locks conform to level SL7 (Physical Security) in accordance with Australian lock standard AS4145.2-2008.

Durability
KABA SBM Series locks conform to level D8 (Durability) in accordance with Australian lock standard AS4145.2-2008.

Note
All tests to Australian standards were performed by an independent NATA accredited laboratory.

SBM2 Series Short Backset Mortice Lock

Strike plate

Strike box

SBM2 Standard Box Pack 23mm Backset

Suits narrow style aluminium frame doors
Standard 23mm back set
Non-handed easily adjustable
Suitable for new install or retro-fit
Suits most electric strikes

Pack Contents

1 x Lock Assembly	1 x Face Plate
1 x Strike Plate	1 x Fabricator Strike Box
1 x K Adaptor	2 x Split Spindle
2 x Split Spindle Spring	2 x Cylinder Retaining Pin
2 x Face Plate Screws	2 x Strike Screws
2 x Fixing Screws	

PRODUCT CODE	FINISH	DESCRIPTION
SBM2SCP	SCP	SBM 2 Primary Mortice Lock

SBM2 Series Short Backset Mortice Lock
Selection Chart - 23mm Backset

CODE

Cylinder　　Turn

CODE	DESCRIPTION	CYLINDER OUTSIDE	CYLINDER INSIDE
SBM10	**PASSAGE LATCH** Non-locking - both handles always free. Either handle retracts latchbolt.		
SBM25	**EXIT LOCK** Latch retracts by inside handle only. No outside handle.		
SBM32	**PATIO LOCK** Latch by handle either side unless outside handle locked by insideturn. Inside handle always free for exit.		ADAPTOR K
SBM33	**PATIO SECURITY LOCK** Latch by handle either side unless inside cylinder locks both handles.		CAM L
SBM51	**ENTRANCE LOCK** Latch by handle either side unless outside handle has been made inoperative by key or inside turn. Unlocking by key or turn. Inside handle always free for exit.	CAM A	ADAPTOR K
SBM52	**OFFICE LOCK** Latch by handle either side, except when outside cylinder or turn inside locks both handles.	CAM A	ADAPTOR K
SBM53	**ENTRANCE LOCK** Latch by handle either side unless outside handle has been made inoperative by inside turn. Key from outside retracts latchbolt only. Inside handle always free for exit.	CAM R	ADAPTOR K
SBM58	**OFFICE LOCK** Latch by handle either side unless outside handle has been made inoperative by key outside or inside turn. Key has dual function - when turned toward strike key unlocks outside handle, if turned further will also retract latchbolt. Inside handle always free for exit.	CAM RT	ADAPTOR JL/JR

SBM2 Series Short Backset Mortice Lock
Selection Chart - 23mm Backset

CODE	DESCRIPTION		CYLINDER OUTSIDE	CYLINDER INSIDE
SBM60	**DOUBLE CYLINDER VESTIBULE LOCK** Latch by handle either side unless outside handle has been made inoperative by key inside. Key outside retracts latchbolt only. Inside handle always free for exit.		CAM R	CAM L
SBM62	**RESIDENTAIL ENTRANCE LOCK** Cylinder both sides. External cylinder retracts the latchbolt. Latch by inside handle except when inside cylinder locks inside handle. Hold back as standard.		CAM H	CAM L
SBM66	**DOUBLE CYLINDER STOREROOM ENTRY LOCK** Latch by handle either side unless both handles are locked by key from either side. Key from either side unlocks handles both sides.		CAM L	CAM L
SBM70	**CLASSROOM LOCK** Latch by handle either side unless handle is made inoperative by key from outside. Inside handle always free for exit.		CAM L	
SBM78	**EMERGENCY CLASSROOM LOCK** Latch by handle either side unless outside handle is made inoperative by key from outside. Cylinder has dual function - when turned towards strike cylinder unlocks outside handle, if turned further cylinder will also retract latchbolt. Inside handle always free for exit.		CAM RT	ADAPTOR JL/JR
SBM80	**STOREROOM LOCK** Latch by inside handle at all times for immediate exit. Key outside retracts latchbolt only. Outside handle always rigid.		CAM R	
SBM81	**SINGLE CYLINDER EXIT LOCK** Latch by inside handle at all times for immediate exit. Key outside retracts latchbolt only.		CAM R	
SBM251	**SINGLE CYLINDER LATCH** Latch by key from outside only.		CAM R	
SBM252	**DOUBLE CYLINDER LATCH** Latch by key from either side.		CAM R	CAM R

SBM2 Series Short Backset Mortice Lock
## Ordering Details - 23mm Backset

L = Left Hand   L% = Left Hand Open Out   R = Right Hand   R% = Right Hand Open Out

PASSAGE LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM10SCP	SCP	SBM Passage Latch

EXIT LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM25SCP	SCP	SBM Exit Lock

PATIO LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM32SCP	SCP	SBM Patio Lock
SBM33SCP	SCP	SBM Patio Security Lock

ENTRANCE LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM51SCP	SCP	SBM Entrance Lock

OFFICE LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM52SCP	SCP	SBM Office Lock

ENTRANCE LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM53SCP	SCP	SBM Entrance Lock

OFFICE LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM58SCP	SCP	SBM Office Lock

DOUBLE CYLINDER

PRODUCT CODE	FINISH	DESCRIPTION
SBM60SCP	SCP	SBM Double Cylinder Vestibule Lock

RESIDENTIAL ENTRANCE

PRODUCT CODE	FINISH	DESCRIPTION
SBM62SCP	SCP	SBM Residential Entrance Lock

DOUBLE CYLINDER

PRODUCT CODE	FINISH	DESCRIPTION
SBM66SCP	SCP SBM	Double Cylinder Storeroom Entry Lock

SBM2 Series Short Backset Mortice Lock

Ordering Details - 23mm Backset

CLASSROOM LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM70SCP	SCP	SBM Classroom Lock
SBM78SCP	SCP	SBM Emergency Classroom Lock

STOREROOM LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM80SCP	SCP	SBM Storeroom Lock

SINGLE CYLINDER EXIT

PRODUCT CODE	FINISH	DESCRIPTION
SBM81SCP	SCP	SBM Single Cylinder Exit Lock

SINGLE CYLINDER LATCH

PRODUCT CODE	FINISH	DESCRIPTION
SBM251SCP	SCP	SBM Single Cylinder Latch

DOUBLE CYLINDER LATCH

PRODUCT CODE	FINISH	DESCRIPTION
SBM252SCP	SCP	SBM Double Cylinder Latch

SBM2 Kit Packs

SBM2 Mortice Locks and Narrow Style Furniture Range.

> All items in one convenient package

> Only available in Satin Chrome Plate

> Kits are also available in N100 Series furniture on request

---

SBM2KIT51 ENTRANCE LOCK SET
SBM2SCP
N601C-25SCP, N613V-25SCP
130C4 Cylinder with A Cam

PRODUCT CODE	FINISH
SBM2KIT51	SCP

SBM2KIT66 DOUBLE CYLINDER SET
SBM2SCP
N601C-25SCP, N601V-25SCP
130C4 Cylinder x 2 with L Cams

PRODUCT CODE	FINISH
SBM2KIT66	SCP

SBM2KIT70 CLASSROOM LOCK SET
SBM2SCP
N601C-25SCP, N602V-25SCP
130C4 Cylinder with L Cam

PRODUCT CODE	FINISH
SBM2KIT70	SCP

SBM2KIT80 STOREROOM LOCK SET
SBM2SCP
N601C-25SCP, N602V-25SCP
130C4 Cylinder with R Cam

PRODUCT CODE	FINISH
SBM2KIT80	SCP

SBM2KIT81 SINGLE CYLINDER LOCK SET
SBM2SCP
N604CSCP, N602V-25SCP
130C4 Cylinder with R Cam

PRODUCT CODE	FINISH
SBM2KIT81	SCP

SBM30 Series Short Backset Mortice Lock

Strike plate

Strike box

SBM30 Standard Box Pack 30mm Backset

Suits narrow style aluminium frame doors
Standard 30mm back set
Non-handed easily adjustable
Suitable for new install or retro-fit
Suits most electric strikes

Pack Contents

1 x Lock Assembly	1 x Face Plate
1 x Strike Plate	1 x Fabricator Strike Box
1 x K Adaptor	2 x Split Spindle
2 x Split Spindle Spring	2 x Cylinder Retaining Pin
2 x Face Plate Screws	2 x Strike Screws
2 x Fixing Screws	

PRODUCT CODE	FINISH	DESCRIPTION
SBM30SCP	SCP	SBM 30 Primary Mortice Lock

SBM30 Series Short Backset Mortice Lock
## Selection Chart - 30mm Backset

CODE

Cylinder   Turn

CODE	DESCRIPTION	CYLINDER OUTSIDE	CYLINDER INSIDE
SBM30-10	**PASSAGE LATCH** Non-locking - both handles always free. Either handle retracts latchbolt.		
SBM30-25	**EXIT LOCK** Latch retracts by inside handle only. No outside handle.		
SBM30-32	**PATIO LOCK** Latch by handle either side unless outside handle locked by insideturn. Inside handle always free for exit.		ADAPTOR K
SBM-3033	**PATIO SECURITY LOCK** Latch by handle either side unless inside cylinder locks both handles.		CAM L
SBM30-51	**ENTRANCE LOCK** Latch by handle either side unless outside handle has been made inoperative by key or inside turn. Unlocking by key or turn. Inside handle always free for exit.	CAM A	ADAPTOR K
SBM30-52	**OFFICE LOCK** Latch by handle either side, except when outside cylinder or turn inside locks both handles.	CAM A	ADAPTOR K
SBM30-53	**ENTRANCE LOCK** Latch by handle either side unless outside handle has been made inoperative by inside turn. Key from outside retracts latchbolt only. Inside handle always free for exit.	CAM R	ADAPTOR K
SBM30-58	**OFFICE LOCK** Latch by handle either side unless outside handle has been made inoperative by key outside or inside turn. Key has dual function - when turned toward strike key unlocks outside handle, if turned further will also retract latchbolt. Inside handle always free for exit.	CAM RT	ADAPTOR JL/JR

SBM30 Series Short Backset Mortice Lock
Selection Chart - 30mm Backset

CODE	DESCRIPTION	CYLINDER OUTSIDE	CYLINDER INSIDE
SBM30-60	**DOUBLE CYLINDER VESTIBULE LOCK** Latch by handle either side unless outside handle has been made inoperative by key inside. Key outside retracts latchbolt only. Inside handle always free for exit.	CAM R	CAM L
SBM30-62	**RESIDENTAIL ENTRANCE LOCK** Cylinder both sides. External cylinder retracts the latchbolt. Latch by inside handle except when inside cylinder locks inside handle. Hold back as standard.	CAM H	CAM L
SBM30-66	**DOUBLE CYLINDER STOREROOM ENTRY LOCK** Latch by handle either side unless both handles are locked by key from either side. Key from either side unlocks handles both sides.	CAM L	CAM L
SBM30-70	**CLASSROOM LOCK** Latch by handle either side unless handle is made inoperative by key from outside. Inside handle always free for exit.	CAM L	
SBM30-78	**EMERGENCY CLASSROOM LOCK** Latch by handle either side unless outside handle is made inoperative by key from outside. Cylinder has dual function - when turned towards strike cylinder unlocks outside handle, if turned further cylinder will also retract latchbolt. Inside handle always free for exit.	CAM RT	ADAPTOR JL/JR
SBM30-80	**STOREROOM LOCK** Latch by inside handle at all times for immediate exit. Key outside retracts latchbolt only. Outside handle always rigid.	CAM R	
SBM30-81	**SINGLE CYLINDER EXIT LOCK** Latch by inside handle at all times for immediate exit. Key outside retracts latchbolt only.	CAM R	
SBM30-251	**SINGLE CYLINDER LATCH** Latch by key from outside only.	CAM R	
SBM30-252	**DOUBLE CYLINDER LATCH** Latch by key from either side.	CAM R	CAM R

SBM30 Series Short Backset Mortice Lock
Ordering Details - 30mm Backset

L = Left Hand   L% = Left Hand Open Out   R = Right Hand   R% = Right Hand Open Out

PASSAGE LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-10SCP	SCP	SBM Passage Latch

EXIT LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-25SCP	SCP	SBM Exit Lock

PATIO LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-32SCP	SCP	SBM Patio Lock
SBM30-33SCP	SCP	SBM Patio Security Lock

ENTRANCE LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-51SCP	SCP	SBM Entrance Lock

OFFICE LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-52SCP	SCP	SBM Office Lock

ENTRANCE LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-53SCP	SCP	SBM Entrance Lock

OFFICE LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-58SCP	SCP	SBM Office Lock

DOUBLE CYLINDER

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-60SCP	SCP	SBM Double Cylinder Vestibule Lock

RESIDENTIAL ENTRANCE

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-62SCP	SCP	SBM Residential Entrance Lock

DOUBLE CYLINDER

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-66SCP	SCP SBM	Double Cylinder Storeroom Entry Lock

SBM30 Series Short Backset Mortice Lock
Ordering Details - 30mm Backset

CLASSROOM LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-70SCP	SCP	SBM Classroom Lock
SBM30-78SCP	SCP	SBM Emergency Classroom Lock

STOREROOM LOCK

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-80SCP	SCP	SBM Storeroom Lock

SINGLE CYLINDER EXIT

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-81SCP	SCP	SBM Single Cylinder Exit Lock

SINGLE CYLINDER LATCH

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-251SCP	SCP	SBM Single Cylinder Latch

DOUBLE CYLINDER LATCH

PRODUCT CODE	FINISH	DESCRIPTION
SBM30-252SCP	SCP	SBM Double Cylinder Latch

Accessories

SBM Series Cams and Adaptors

CAM - A
Function - turn adaptor activation
used with Adaptor K

CODE	SUIT	QTY
CAMA	MS/SB	pkt 10

CAM - H
Function - hold back latchbolt

CODE	SUIT	QTY
CAMH	MS/SB	pkt 5

CAM - L
Function - lock and unlock locking bar

CODE	SUIT	QTY
CAML	MS/SB	pkt 10

CAM - N
Function - deadbolt and sliding lock

CODE	SUIT	QTY
CAMN	MS/SB	pkt 10

CAM - R
Function - retract latchbolt

CODE	SUIT	QTY
CAMR	MS/SB	pkt 10

CAM - RT
Function - classroom lock
used with Adaptor JR or JL

CODE	SUIT	QTY
CAML	MS/SB	pkt 5

ADAPTOR - JL
Function - classroom lock

CODE	SUIT	QTY
ADAPTORJL	MS/SB	pkt 5

ADAPTOR - JR
Function - classroom lock

CODE	SUIT	QTY
ADAPTORJR	MS/SB	pkt 5

ADAPTOR - K
Function - locking turn adaptor

CODE	SUIT	QTY
ADAPTORK	MS/SB	pkt 5

ADAPTOR - T
Function - case fix locking
used on case fix turn with Cam JR orJL

CODE	SUIT	QTY
ADAPTORT	MS/SB	pkt 5

EXTENDED FACE PLATE
Timber Doors

CODE	FINISH	DESCRIPTION
SB260SSS	SSS	SBM2 Extended Face Plate for Timber Doors

950 Series Short Backset Mortice Deadlocks

Kaba 950 Series, swing bolt deadlocks are suitable for narrow style hinged or pivoted doors. The positive action deadbolt is locked either by key, turn or BCA compliant lever. Also suitable for sliding doors where lock can be installed to door jamb and deadbolt engages strike mounted in face of door.

Handing of Door - British Standards

RIGHT - HAND DOOR		LEFT - HAND DOOR	
OUTSIDE	OUTSIDE	OUTSIDE	OUTSIDE
DOOR OPENING	DOOR OPENING	DOOR OPENING	DOOR OPENING
IN	OUT	IN	OUT

Note

Case does not need to be opened at any time to change function or handing of this lock.

950 Series

Short Backset Mortice Deadlocks

Materials
Zinc plated steel lock case with hardened steel side plates. Brass cylinder, turn or lever.

Backset
23mm.

Bolt
5 leaves riveted together, with anti-saw core and 22mm or 37mm bolt projection.

Door Thickness
Suits narrow style hollow sections with a minimum 28mm internal thickness and maximum 58mm external thickness. Suits timber doors 32mm to 58mm thick (extended cylinders available for thick doors).

Cylinder
Standard Kaba 130 type oval cylinder with M616 cam.

Turn
FA310 as Standard or FA305 as spare part, SB311 - 45mm Lever snib and SB312 - Emergency Escape Lever handle, all with M615 Turn Cam.

Handing
The 950 Series is Non Handed.

Disabled Access
A selection of the 950 Series complies with AS1428 - Design for Access and Mobility, depending on turn snib selection.

Finishes
Standard finish is Satin Chrome plate (SCP) trims and Clear Anodised (CA) aluminium faceplate. Faceplates to suit timber doors are Satin Stainless Steel (SSS).

950-22 lock body

950-37 lock body

950 Series - Functions
22mm Bolt

950 Series locks are non-handed and are suitable for narrow style hinged or pivoted doors. The deadbolt is locked by either key or turn. Also suitable for sliding doors where lock can be mounted to door jamb and deadbolt engages strike mounted to face of door. Bolt available in 22mm or 37mm projection.

950 Series

950-LC
950 Lock Body, 22mm bolt, incl: 2 Escutcheons and 2 Cams

PRODUCT CODE	FINISH
950-22SCP-LC	SCP

950-C4
950 Lock Body 22mm bolt, incl: 2 Escutheons, C4 Cylinder and Case fixed turn

PRODUCT CODE	FINISH
950-22SCP-C4	SCP

950-C4D
950 Lock Body 22mm bolt, incl: 2 Escutcheons and C4 Cylinders

PRODUCT CODE	FINISH
950-22SCP-C4D	SCP

950 Series - Including Escape Lever SB312SCP

950L-LC
950 Lock 22mm bolt, Inc. Case fixed escape turn

PRODUCT CODE	FINISH
950L-22SCP-LC	SCP

950L-C4
950 Lock 22mm bolt, Inc. C4 Cylinder and Case fixed escape turn

PRODUCT CODE	FINISH
950L-22SCP-C4	SCP

950 Series - Functions
37mm Bolt

950 Series

950-LC
950 Lock Body, 37mm bolt, incl: 2 Escutcheons and 2 Cams

PRODUCT CODE	FINISH
950-37SCP-LC	SCP

950-C4
950 Lock Body 37mm bolt, incl: 2 Escutheons, C4 Cyl & CF Turn

PRODUCT CODE	FINISH
950-37SCP-C4	SCP

950-C4D
950 Lock Body 37mm bolt, incl: 2 Escutcheons and C4 Cylinders

PRODUCT CODE	FINISH
950-372SCP-C4D	SCP

950 Series - Including Escape Lever SB312SCP

950L-LC
950 Lock 37mm bolt, Inc. Case fixed escape turn

PRODUCT CODE	FINISH
950L-37SCP-LC	SCP

950L-C4
950 Lock 37mm bolt, Inc. C4 Cyl & Case fixed escape turn

PRODUCT CODE	FINISH
950L-37SCP-C4	SCP

951 Series Short Backset Mortice Deadlocks

Kaba 951 Series, swing bolt deadlocks are suitable for narrow style sliding doors. The positive action deadbolt includes a hooked design to engage and lock into latching strike plate when bolt is in the thrown position. The deadbolt is locked or unlocked by either by key, turn or BCA compliant lever.

Handing of Door - British Standards

RIGHT - HAND DOOR		LEFT - HAND DOOR	
OUTSIDE	OUTSIDE	OUTSIDE	OUTSIDE
DOOR OPENING	DOOR OPENING	DOOR OPENING	DOOR OPENING
IN	**OUT**	**IN**	**OUT**

Note

Case does not need to be opened at any time to change function or handing of this lock.

951 Series

Short Backset Mortice Deadlocks

Materials
Zinc plated steel lock case with hardened steel side plates. Brass cylinder, turn or lever.

Backset
23mm.

Bolt
Leaves riveted together, with anti-saw core and 28mm projection.

Door Thickness
Suits narrow style hollow sections with a minimum 28mm internal thickness and maximum 58mm external thickness. Suits timber doors 32mm to 58mm thick (extended cylinders available for thick doors).

Cylinder
Standard Kaba 130 type oval cylinder with M616 cam.

Turn
FA310 as standard or FA305 as spare part, SB311 - 45mm lever snib and SB312 -emergency escape lever handle, all with M615 turn cam.

Handing
The 951 Series is non-handed.

Disabled Access
A selection of the 951 Series complies with AS1428 - Design for Access and Mobility, depending on turn snib selection.

Finishes
Standard finish is Satin Chrome plate (SCP) trims and Clear Anodised (CA) aluminium faceplate.

951 lock body

951 Series - Functions

951 Series locks are non-handed and are suitable for narrow style sliding doors. The positive action deadbolt is notched to engage and lock into a latching strike when the bolt is in the thrown position. The deadbolt is locked or unlocked by either key or turn.

951 Series

951-LC
951 Lock Body, 29mm bolt, incl: 2 Escutcheons and 2 Cams

PRODUCT CODE	FINISH
951SCP-LC	SCP

951-C4
951 Lock Body 29mm bolt, incl: 2 Escutheons, C4 Cylinder and Case fixed turn

PRODUCT CODE	FINISH
951SCP-C4	SCP

951-C4D
951 Lock Body 29mm bolt, incl: 2 Escutcheons and C4 Cylinders

PRODUCT CODE	FINISH
951SCP-C4D	SCP

951 Series - Including Escape Lever SB312SCP

951L-LC
951 Lock 29mm bolt, Inc. Case fixed escape turn

PRODUCT CODE	FINISH
951LSCP-LC	SCP

951L-C4
951 Lock 29mm bolt, Inc. C4 Cylinder and Case fixed escape turn

PRODUCT CODE	FINISH
951LSCP-C4	SCP

Accessories
## 950 and 951 Series

CAM - M615
Function - turn cam
Cam Rabbit Ear to suit turn or lever

CODE
M615

CAM - M616
Function - cylinder cam
Cam to suit 950 keyed cylinder

CODE
M616

FA958
Escutcheon - Rectangular

High	Wide	Thick
50mm	25mm	7mm

CODE	FINISH
FA958SCP	SCP

FA959
Escutcheon - Oval

High	Wide	Thick
50mm	25mm	9mm

CODE	FINISH
FA959SCP	SCP

FA305
Turn - Standard case fix

CODE	FINISH
FA305SCP	SCP

SB312
Short backset escape lever

High	Wide	Clearance
62mm	26mm	21mm

CODE	FINISH
SB312SCP	SCP

SB311
Short backset case fixed snib lever

High	Wide	Thick
52.5mm	14mm	12.7mm

CODE	FINISH
SB311SCP	SCP

STRIKE BOX
Strike Plate Assembly for Timber Doors

CODE	FINISH	DESCRIPTION
951-030	SSS	to suit 951 lock

FACE PLATE
Timber Doors

FP022   FP037   FP029

CODE	FINISH	DESCRIPTION
FP022SSS	SSS	to suit 950 lock
FP037SSS	SSS	to suit 950 lock
FP029SSS	SSS	to suit 951 lock

Short Backset Mortice Locks

Notes